



BASF SE, 67056 Ludwigshafen, Deutschland

Ms Petra Märzinger
Moove Lubricants Ltd
Dering Way
Gravesend
Kent
DA 12 2QX
England

BASF SE
Fuel and Lubricant Solutions
67056 Ludwigshafen
Deutschland

Telefon: +49 621 60-0
E-Mail: glysantin@basf.com

Thursday 10th January 2019
Page 1 of 4

Dear Ms Märzinger

GLYSANTIN® / Mobil Antifreeze Approvals

This letter to Moove Lubricants Limited confirms that governed by, and subject to, the terms of the Trademark Licence Agreement between the parties which took effect on 1st October 2012, BASF SE grants and has granted a license of BASF's registered trademark GLYSANTIN® to Cosan Lubricants, a trading name of Comma Oil & Chemicals Limited, registered in England with company number 20755698 to use and sell products containing GLYSANTIN®. Accordingly, Cosan Lubricants' range of Mobil-branded Antifreeze & Coolants contain GLYSANTIN®, the original engine coolant supplied from BASF GLYSANTIN®. Mobil Antifreeze Advanced, Extra, Ultra, Heavy Duty & Excel maintain the following vehicle manufacturer approvals which are acknowledged and approved by BASF SE:

1. GLYSANTIN® G48® / Mobil Antifreeze Extra

Officially approved by

Audi (vehicles built up until 1996)

BMW

Deutz

Jenbacher

Liebherr

MAN (until 11/2011)

MAN Diesel & Turbo

Maybach

Mercedes Benz (vehicles built up until 2013)

Mini (BMW)

Mini Cooper D - vehicles built between 2007 and 2010 refer to GLYSANTIN® G30®

MTU

MWM

Opel / Vauxhall (vehicles built up to 2005)

TL 774-C

BMW GS94000

DQC CA-14

Ta-Nr. 1000-0201

Minimum LH-00_COL3A

MAN 324 NF

Liste 3.3.7

MB-Approval 325.0

MB-Approval 325.0

BMW GS94000

MTL 5048

0199-99-2091 DE

B 040 0240

BASF SE

67056 Ludwigshafen, Deutschland

Telefon: +49 621 60-0

Telefax: +49 621 60-42525

E-Mail: global.info@basf.com

Internet: www.basf.com

Registered Office: 67056 Ludwigshafen

Registration court: Amtsgericht Ludwigshafen,

Registration No.: HRB 6000

Euro-Bankdetails:

Commerzbank Aktiengesellschaft

Konto-Nr. 0201000700, BLZ 545 400 33

IBAN DE26 5454 0033 0201 0007 00

SWIFT COBADEFF545

Deutsche Bank Aktiengesellschaft

Konto-Nr. 0013302500, BLZ 545 700 94

IBAN DE72 5457 0094 0013 3025 00

SWIFT DEUTDE33

Chairman of the Supervisory Board:

Jürgen Hambrecht

Board of Executive Directors:

Martin Brudemeuller, Chairman;

Hans-Ulrich Engel, stellv. Vice-Chairman;

Saori Dubourg, Sanjeev Gandhi, Michael Heinz,

Markus Kamieth, Wayne T. Smith.

A brand of

BASF

We create chemistry



Porsche (vehicles built up to until 1995)	-
Rolls-Royce (vehicles built as from 1998)	BMW GS94000
Saab	690 1599
Same Deutz Fahr Group	-
Seat (vehicles built up until 1996)	TL 774-C
Skoda (vehicles built up until 1996)	TL 774-C
Smart (vehicles built up until 2013)	MB-Approval 325.0
Tesla	-
Van Hool	-
VW (vehicles built up until 1996)	TL 774-C
Volvo Truck (vehicles built up until 2005)	-
Zastava	-

The Product also protects: Chrysler, Ferrari, Jaguar, Lada, Lancia, Range Rover, Mahindra, Morgan, Perkins, Sisu

1a. Mobil Coolant Extra Ready Mix is based on GLYSANTIN® G48® Ready Mix / Mobil Antifreeze Extra Ready Mix and is additionally approved against MB-Approval 326.0.

2. GLYSANTIN® G30® / Mobil Antifreeze Advanced Concentrate

Officially approved by:

Audi	TL774-D/F
Bentley	TL774-D/F
Bugatti	TL774-D/F
DAF	MAT74002
Deutz	DQC CB-14
Lamborghini	TL774-D/F
MAN	MAN 324 SNF
Mercedes Benz	MB-Approval 325.3
Mini Cooper D (vehicles built between 2007 and 2010)	-
MTU	MTL 5048
Porsche (vehicles built between 1996 and 2009)	-
Seat	TL774-D/F
Siemens (wind power)	-
Skoda	TL774-D/F
VW	TL774-D/F

The product also protects: Chevrolet, Citroen, Daihatsu, Ford, Honda, Hyundai, Jaguar, Kia, Land Rover, Lexus, Mazda, MG Rover, Mitsubishi, Nissan, Opel, Peugeot, Renault, Saab, Subaru, Suzuki, Toyota, Vauxhall, Volvo Truck (vehicles built as from 2006) – Also Wind turbines (ie Vesta)



2a. Mobil Coolant Advanced Ready Mix is based on GLYSANTIN® G30® Ready Mix / Mobil Antifreeze Extra Ready Mix and is additionally approved against MB-Approval 326.3.

3. GLYSANTIN® G05® / Mobil Coolant Heavy Duty Ready Mix

Officially approved by:

Chrysler	MS-9769
Ford North America	WSS-M 97B51-A1
JCB	STD 00088
John Deere	JDM H 24
MTU	MTL 5048

The product also protects: Dodge, Jeep

4. GLYSANTIN® G40® / Mobil Antifreeze Ultra Concentrate

Officially approved by:

Audi (vehicles built as from 2005)	TL 774-G
Bentley (vehicles built as from 2005)	TL 774-G
Bugatti (vehicles built as from 2005)	TL 774-G
Cummins	CES 14603
Deutz	DQC CC-14
Lamborghini (vehicles built as from 2005)	TL 774-G
Liebherr	Minimum LH-01-COL3A
MAN (vehicles built as from 12/2011)	MAN 324 Si-OAT
Mercedes Trucks (vehicles built as from 10/2011)	MB-Approval 325.5
Mercedes Cars (from 2014)	MB-Approval 325.6
MTU	MTL 5048
Porsche (vehicles built as from 2010)	911, Boxster, Cayman, Cayenne, Panamera
Seat (vehicles built as from 2005)	TL 774-G
Skoda (vehicles built as from 2005)	TL 774-G
Smart (vehicles built as from 2014)	MB-Approval 325.6
VW (vehicles built as from 2005)	TL 774-G

4a. Mobil Coolant Ultra Ready Mix is based on GLYSANTIN® G40® Ready Mix / Mobil Antifreeze Extra Ready Mix and is additionally approved against MB-Approval 326.5 & 326.6.



5. Glysantin® G64® / Mobil Antifreeze Excel

Officially approved by:

Deutz

DQC CC-14

Deutz-Fahr

Huerlimann

Lamborghini Tractors

MAN Turbo & Diesel

Same

Volvo cars

TR-31854114-002

The product is also suitable for:

Industrial usages, Mining equipment and Generators

Yours sincerely

Mark Royal
Brand Manager GLYSANTIN®

Ian Shiels
BASF plc acting as an agent for BASF SE
Business Management Europe
Fuel & Lubricant Solutions